




NOTES: UNLESS OTHERWISE SPECIFIED



1. ALL DIMENSIONS APPLY AFTER PLATING.
2. DIMENSION IN FREE STATE.
3. RECOMMENDED SHIELD THICKNESS = $.006[0.15] + .003[0.08]$

CUSTOMER DRAWING

REV	REVISION RECORD	BY	DATE
A	INITIAL RELEASE	YJ.PARK	2009.06.22
B	CHANGED PAD SIZE & QUANTITY PER REEL	YJ.PARK	2009.08.31
C	MODIFIED GAP DIMENSION & TOLERANCE	YJ.PARK	2009.12.10
D	MODIFIED RECOMMENDED SHIELD THICKNESS	YJ.PARK	2010.11.01
E	ADEED STENCIL HOLE SIZE	YJ.PARK	2011.02.24






ISOMETRIC VIEW



SECTION A-A
SCALE 1:1

12mm TAPE PER E.I.A. STD. 481, 13" REEL,
SEE TABLE FOR QTY OF PARTS PER REEL.



RECOMMENDED PAD & STENCIL HOLE SIZE

MATERIAL SUS301	HEAT TREAT	UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MM. TOLERANCES ARE: 0 ≤ X < 3 : ±0.10 3 ≤ X < 10 : ±0.15 10 ≤ X < 25 : ±0.20 25 ≤ X : ±0.25	AUTOSPlice CO.,LTD. 117BL 2LOT Namdong Industrial Complex, Incheon, R.O.Korea (82)32- 812-9784	
FINISH POST-TIN (MATTE)	Unit Q'ty 10,000PCS / REEL		PROJECT	DRAWN BY YJ.PARK DATE 2009.06.22 DESIGNED BY YJ.PARK DATE 2009.06.22 APPROVED BY JH.LEE DATE 2009.06.22
This drawing and the information set forth hereon are the property of Autossplice, Inc. and are to be held in trust and confidence. Publication, disclosure, or use for any purpose not expressly authorized in writing by Autossplice, Inc. is prohibited.			TITLE SMT RFI CLIP - MICROMINIATURE	REV. E
			SIZE A4	DRAWING NUMBER C-ATC-AA-01-001
		SCALE 1:1	WEIGHT	SHEET 1 OF 1